ELSEVIER

Journal of Magnetism and Magnetic Materials 189 (1998) 397–400

Journal of magnetism and magnetic materials

Author index to volume 189

Akther Hossain, A.K.M., see Ghivelder, L. 274
Al-Wazzan, R., see Papakonstantinou, P. 120
Alford, N.McN., see Ghivelder, L. 274
Almeida, M., see Gonçalves, A.P. 283
Amako, Y., see Courtois, D. 173
Anantharaman, M.R., S. Jagatheesan, K.A. Malini, S. Sindhu, A. Narayanasamy, C.N. Chinnasamy, J.P. Jacobs, S. Reijne, K. Seshan, R.H.H. Smits and H.H. Brongersma, On the magnetic properties of ultra-fine zinc ferrites 83
Andersson, Y., see Liu, H.-p. 69
Ando, Y., see Kato, H. 263
Aning, A., see Seifu, D. 305
Aplesnin, S.S., A study of anisotropic 2D Heisenberg model with alternating bond and $S = \frac{1}{2}$ by Monte-Carlo method 115
Atkinson, R., see Papakonstantinou, P. 120

Babu, V.S., see Seifu, D. 305
Bonnet, M., see Gonçalves, A.P. 283
Bounds, C.O., see Chang, W.C. 55
Bourgeat-Lami, E., see Courtois, D. 173
Broddefalk, A., see Liu, H.-p. 69
Brongersma, H.H., see Anantharaman, M.R. 83
Buschow, K.H.J., see Schobinger-Papamantellos, P. 214
Buschow, K.H.J., see Moze, O. 329

Cadogan, J.M., see Courtois, D. 173
Caeiro, D., see Hueso, L.E. 321
Castillo, I.A., see Ghivelder, L. 274
Chang, W.C., D.Y. Chiou, B.M. Ma and C.O. Bounds, High performance α-Fe/$R_2Fe_{14}B$-type nanocomposites with nominal compositions of $(Nd,La)_{9.5}Fe_{78-x}Co_xCr_2B_{10.5}$ ($x = 0$–10) 55
Chang, Y.H., see Yang, Y.K. 195
Charrier, B. and D. Schmitt, Dynamical and irreversible magnetic effects in i-$R_8Mg_{42}Zn_{50}$ quasicrystals (R = Tb, Dy) 165
Chen, L.H., see Yang, Y.K. 195
Chinnasamy, C.N., see Anantharaman, M.R. 83
Chiou, D.Y., see Chang, W.C. 55
Choi, Y.S., see Lim, S.H. 1
Chuang, Y.C., see Tang, S.L. 202
Ciurzyńska, W., G. Haneczok and J. Zbroszczyk, Magnetic after-effect spectral analysis by applying the lognormal distribution of relaxation times 384
Cohen, L.F., see Ghivelder, L. 274
Costa Filho, R.N., U.M.S. Costa and M.G. Cottam, Localised magnetic impurity states in a transverse Ising ferromagnet: bulk and surface effects 234
Costa, U.M.S., see Costa Filho, R.N. 234
Cottam, M.G., see Costa Filho, R.N. 234
Courtois, D., D. Givord, B. Lambert-Andron, E. Bourgeat-Lami, Y. Amako, H.-S. Li and J.M. Cadogan, X-ray and magnetic single-crystal analysis of the crystallographic structure of the $Y_3(Fe_{0.933}V_{0.067})_{29}$ compound 173

Da Cunha, J.B.M., see Flores, W.H. 32
Das, K., S. Jana, D. Ghosh and B.M. Wanklyn, Study of optical absorption spectra and magnetic susceptibilities of Tm^{3+}-pyrogermanate ($Tm_2Ge_2O_7$) 310
De Boer, F.R., see Moze, O. 329
De Groot, C.H., see Moze, O. 329
Dimitrov, D.V., C. Prados, C.Y. Ni, G.C. Hadjipanayis and J.Q. Xiao, Magnetoresistance in NiCoO/Py/Cu/Py spin valves 25
Ding, B.Z., see Tang, S.L. 202
Du, Y.W., see Tang, S.L. 341

Emoto, T., N. Hosoito and T. Shinjo, Magnetic polarization in Au layers of Au/M (M = Fe, Co, and Ni) multilayers with ^{119}Sn probes studied by Mössbauer spectroscopy 136
Eriksson, O., see Liu, H.-p. 69
Estrela, P., see Gonçalves, A.P. 283

Fauth, F., see Schobinger-Papamantellos, P. 214
Ferré, J., see Tarasenko, S.V. 19
Flores, W.H., J.B.M. da Cunha and W.H. Schreiner, Structural evolution and magnetic properties of Fe/Eu multilayers after thermal annealing 32
Fruchart, D., see Isnard, O. 47
Fujimori, H., see Lim, S.H. 1

0304-8853/98/$19.00 © 1998 Elsevier Science B.V. All rights reserved.
PII: S0304-8853(98)00354-0

García-Bastida, A.J., see García-Otero, J. 377
García-Otero, J., A.J. García-Bastida and J. Rivas, Influence of temperature on the coercive field of non-interacting fine magnetic particles 377
Garde, C.S. and J. Ray, Magnetic and transport behaviour in Pr_3X (X = In, Sn, Ga, Ge, Ni, Co, Ru, Ir) systems 293
Ghivelder, L., I.A. Castillo, N.McN. Alford, G.J. Tomka, P.C. Riedi, J. MacManus-Driscoll, A.K.M. Akther Hossain and L.F. Cohen, Specific heat of $La_{1-x}Ca_xMnO_{3-\delta}$ 274
Ghosh, D., see Das, K. 310
Giovanelli, L., see Moze, O. 329
Givord, D., see Courtois, D. 173
Godinho, M., see Gonçalves, A.P. 283
Gonçalves, A.P., P. Estrela, J.C. Waerenborgh, J.A. Paixão, M. Bonnet, J.C. Spirlet, M. Godinho and M. Almeida, Crystallographic and magnetic properties of $UFe_{5.8}Al_{6.2}$ single crystals 283
Granberg, P., see Liu, H.-p. 69

Hadjipanayis, G.C., see Dimitrov, D.V. 25
Han, S.H., see Lim, S.H. 1
Haneczok, G., see Ciurzyńska, W. 384
Hoffman, E., see Seifu, D. 305
Hosoito, N., see Emoto, T. 136
Hubert, A., see Kamberský, V. 149
Hubert, A., see Neu, V. 391
Hübner, W. and G.P. Zhang, Femtosecond spin dynamics probed by linear and nonlinear magneto-optics 101
Hueso, L.E., F. Rivadulla, R.D. Sánchez, D. Caeiro, C. Jardón, C. Vázquez-Vázquez, J. Rivas and M.A. López-Quintela, Influence of the grain-size and oxygen stoichiometry on magnetic and transport properties of polycrystalline $La_{0.67}Ca_{0.33}MnO_{3\pm\delta}$ perovskites 321

Ichiyanagi, Y., see Kimishima, Y. 62
Isnard, O., P. Vulliet, J.P. Sanchez and D. Fruchart, ^{155}Gd Mössbauer effects studies and magnetic properties of $GdFe_{11}Ti$ and $GdFe_{11}TiH_{1-\delta}$ 47
Itoh, Y., see Kadomatsu, H. 335

Jacobs, J.P., see Anantharaman, M.R. 83
Jagatheesan, S., see Anantharaman, M.R. 83
James, P., see Liu, H.-p. 69
Jana, S., see Das, K. 310
Jardón, C., see Hueso, L.E. 321
Jin, H.-M., see Kim, Y.B. 241
Jin, H.-M., see Kim, Y.B. 251
Jin, X.M., see Tang, S.L. 202
Jin, X.M., see Tang, S.L. 341

Kadomatsu, H., K. Kuwano, K. Umeo, Y. Itoh and T. Tokunaga, Magnetic and electrical properties of R_7Pd_3 (R = La, Ce, Pr, Nd and Sm) 335
Kamberský, V., L. Wenzel and A. Hubert, Magneto-optical interference and diffraction in isotropic and uniaxial multilayers 149
Kato, H., N. Kurita, Y. Ando, T. Miyazaki and M. Motokawa, Magnetic properties of random-anisotropy amorphous magnets $(R_xFe_{1-x})_{80}Si_{12}B_8$ with R = Pr, Nd, Sm, Tb, Dy and Er 263
Kim, H.J., see Lim, S.H. 1
Kim, Y.B. and H.-M. Jin, Determination of the first anisotropy constant of uniaxial anisotropic material from initial susceptibility of magnetization hard direction 241
Kim, Y.B. and H.-M. Jin, Sublattice anisotropy constants of $Dy_2Fe_{14}B$ and $Tb_2Fe_{14}B$ at 4.2 K 251
Kimishima, Y. and Y. Ichiyanagi, Magnetic susceptibility of $Ni(OH)_2$ monolayer nanoclusters 62
Kockelmann, W., see Moze, O. 329
Kouzoudis, D., Exact analytical partition function and energy levels for a Heisenberg ring of $N = 6$ spin 1/2 sites 366
Krebs, H.U., see Neubauer, M. 8
Kulinska, A., see Neubauer, M. 8
Kurita, N., see Kato, H. 263
Kuwano, K., see Kadomatsu, H. 335

Lambert-Andron, B., see Courtois, D. 173
Levy, P.M., see Wang, K. L131
Li, G.S., see Tang, S.L. 202
Li, H.-S., see Courtois, D. 173
Lieb, K.P., see Neubauer, M. 8
Lim, S.H., Y.S. Choi, S.H. Han, H.J. Kim, T. Shima and H. Fujimori, Magnetostriction of Sm–Fe and Sm–Fe–B thin films fabricated by RF magnetron sputtering 1
Lisowski, M. and E. Zipper, Orbital magnetic ordering in disordered mesoscopic systems 225
Liu, H.-p., P. James, A. Broddefalk, Y. Andersson, P. Granberg and O. Eriksson, Structural and magnetic properties of $(Fe_{1-x}Co_x)_3P$ compounds: experiment and theory 69
Liu, Y., see Wang, X. 96
López-Quintela, M.A., see Hueso, L.E. 321
Lu, L., see Wang, X. 96
Luciński, T., G. Reiss, N. Mattern and L. van Loyen, The absence of antiferromagnetic coupling and GMR effect in evaporated permalloy/Cu multilayers, in situ transport properties 39

Ma, B.M., see Chang, W.C. 55
MacManus-Driscoll, J., see Ghivelder, L. 274
Malini, K.A., see Anantharaman, M.R. 83
Mattern, N., see Luciński, T. 39
Mekki, A. and Kh.A. Ziq, Magnetic properties of a SiO_2–Na_2O–Fe_2O_3 glass and glass ceramic 207
Miyazaki, T., see Kato, H. 263
Morrow, T., see Papakonstantinou, P. 120
Motokawa, M., see Kato, H. 263

Moze, O., L. Giovanelli, W. Kockelmann, C.H. de Groot, F.R. de Boer and K.H.J. Buschow, Structure and magnetic properties of $Nd_2Co_{17-x}Ga_x$ compounds studied by magnetic measurements and neutron diffraction 329
Mydlarz, T., see Talik, E. 183

Narayanasamy, A., see Anantharaman, M.R. 83
Nethe, A. and H.-D. Stahlmann, Remarks on the interaction between magnetic core coils in the presence of magnetic fluids 255
Neu, V., A. Hubert and L. Schultz, Modelling of the enhanced remanence of nanocrystalline, exchange-coupled hard magnetic grains 391
Neubauer, M., N. Reinecke, A. Kulinska, K.P. Lieb, M. Uhrmacher, P. Wodniecki, M. Störmer and H.U. Krebs, PAC measurements in laser deposited Ag/Fe and In/Fe alloys 8
Neumann, M., see Talik, E. 183
Ni, C.Y., see Dimitrov, D.V. 25

O'Neill, M.C., see Papakonstantinou, P. 120
Oliver, F.W., see Seifu, D. 305

Paixão, J.A., see Gonçalves, A.P. 283
Paoluzi, A. and L. Pareti, Magnetocrystalline anisotropy of Fe and Sm sublattices in Sm_2Fe_{17}: effects of Ti substitution for Fe 89
Papakonstantinou, P., M.C. O'Neill, R. Atkinson, R. Al-Wazzan, T. Morrow and I.W. Salter, Influence of oxygen pressure on the expansion dynamics of Ba-hexaferrite ablation plumes and on the properties of deposited thin films 120
Pareti, L., see Paoluzi, A. 89
Pimpale, A.V., see Sathe, V.G. 346
Pokatilov, V.S., Hyperfine fields and magnetic moments in Laves phase compounds RFe_2 (R = Sc, Y, Zr, Gd, Ce, Lu) 189
Prados, C., see Dimitrov, D.V. 25

Ray, J., see Garde, C.S. 293
Reijne, S., see Anantharaman, M.R. 83
Reinecke, N., see Neubauer, M. 8
Reiss, G., see Luciński, T. 39
Riedi, P.C., see Ghivelder, L. 274
Ritter, C., see Schobinger-Papamantellos, P. 214
Rivadulla, F., see Hueso, L.E. 321
Rivas, J., see Hueso, L.E. 321
Rivas, J., see García-Otero, J. 377
Roy, S.B., see Sathe, V.G. 346

Salter, I.W., see Papakonstantinou, P. 120
Sanchez, J.P., see Isnard, O. 47
Sánchez, R.D., see Hueso, L.E. 321
Sathe, V.G., A.V. Pimpale and S.B. Roy, Magnetic domain effects in ferro- and antiferromagnetically ordered $La_{0.7}Sr_{0.3}Co_{1-y}Fe_yO_3$: a magnetisation study 346
Schmitt, D., see Charrier, B. 165
Schobinger-Papamantellos, P., K.H.J. Buschow, C. Wilkinson, F. Fauth and C. Ritter, The double nature of the $ErNiSi_2$ magnetic structure neutron diffraction and magnetic measurements 214
Schreiner, W.H., see Flores, W.H. 32
Schultz, L., see Neu, V. 391
Seehra, M.S., see Seifu, D. 305
Seifu, D., F.W. Oliver, E. Hoffman, A. Aning, V.S. Babu and M.S. Seehra, Magnetic properties of nanoscale $Sm_{0.25}Zr_{0.75}Fe_3$ produced by mechanical alloying 305
Seshan, K., see Anantharaman, M.R. 83
Shima, T., see Lim, S.H. 1
Shinjo, T., see Emoto, T. 136
Sindhu, S., see Anantharaman, M.R. 83
Smits, R.H.H., see Anantharaman, M.R. 83
Spinu, L. and A. Stancu, Modelling magnetic relaxation phenomena in fine particles systems with a Preisach–Néel model 106
Spirlet, J.C., see Gonçalves, A.P. 283
Stahlmann, H.-D., see Nethe, A. 255
Stancu, A., see Spinu, L. 106
Stankiewicz, A., see Tarasenko, S.V. 19
Störmer, M., see Neubauer, M. 8
Szmaja, W., Digital image processing system for magnetic domain observation in SEM 353
Szunyogh, L., see Wang, K. L131

Talik, E., M. Neumann and T. Mydlarz, Photoemission study and magnetization of Gd_3Pd intermetallic compound 183
Tang, S.L., C.H. Wu, X.M. Jin, B.W. Wang, G.S. Li, B.Z. Ding and Y.C. Chuang, Magnetic hardening of mechanically alloyed $NdFe_{12-x}V_x$ ($1 \leqslant x \leqslant 2$) and their nitrides 202
Tang, S.L., C.P. Yang, B.W. Wang, X.M. Jin, S.Y. Zhang and Y.W. Du, Structure and magnetic properties of $PrFe_{11.5-x}V_xTi_{0.5}$ compounds and their nitrides 341
Tarasenko, S.V., A. Stankiewicz, V.V. Tarasenko and J. Ferré, Bloch wall dynamics in ultrathin ferromagnetic films 19
Tarasenko, V.V., see Tarasenko, S.V. 19
Tokunaga, T., see Kadomatsu, H. 335
Tomka, G.J., see Ghivelder, L. 274

Uhrmacher, M., see Neubauer, M. 8
Umeo, K., see Kadomatsu, H. 335

Van Loyen, L., see Luciński, T. 39
Vázquez-Vázquez, C., see Hueso, L.E. 321
Vulliet, P., see Isnard, O. 47

Waerenborgh, J.C., see Gonçalves, A.P. 283
Wang, B.W., see Tang, S.L. 202
Wang, B.W., see Tang, S.L. 341
Wang, K., S. Zhang, P.M. Levy, L. Szunyogh and P. Weinberger, Role of electronic structure in magnetic tunneling L131

Wang, X., G. Xiong, X. Wang, L. Lu, X. Yang, L. Zhang and Y. Liu, Preparation and magnetic properties of $BaZn_{2-x}Co_xFe_{16}O_{27}$ nanocrystalline powders by the stearic acid gel method 96
Wang, X., see Wang, X. 96
Wanklyn, B.M., see Das, K. 310
Weinberger, P., see Wang, K. L131
Wenzel, L., see Kamberský, V. 149
Wilkinson, C., see Schobinger-Papamantellos, P. 214
Wodniecki, P., see Neubauer, M. 8
Wu, C.H., see Tang, S.L. 202

Xiao, J.Q., see Dimitrov, D.V. 25
Xiong, G., see Wang, X. 96

Yang, C.P., see Tang, S.L. 341
Yang, X., see Wang, X. 96
Yang, Y.K., L.H. Chen, Y.H. Chang and Y.D. Yao, Microstructure, magnetic and transport properties of melt-spun $Cu_{60}(Ni_{0.8}Fe_{0.2})_{40}$ alloys 195
Yao, Y.D., see Yang, Y.K. 195

Zbroszczyk, J., see Ciurzyńska, W. 384
Zhang, G.P., see Hübner, W. 101
Zhang, L. see Wang, X. 96
Zhang, S., see Wang, K. L131
Zhang, S.Y., see Tang, S.L. 341
Zipper, E., see Lisowski, M. 225
Ziq, Kh.A., see Mekki, A. 207

ELSEVIER

Journal of Magnetism and Magnetic Materials 189 (1998) 401–402

Journal of magnetism and magnetic materials

Subject index to volume 189

Actinides 283
Alloys
– laser deposition 8
Alternating bond 115
Amorphous 1
Anisotropy 310
– random 263
– uniaxial 377
Anisotropy constant 241
Anisotropy exchange 115
Antiferromagnet 115
Antiferromagnetic coupling 39

B addition 1
Band 131
BET surface area 83
Bulk magnetic materials 293

Coercivity 377
Correlated spin glass 263
Coupling 131
Critical field 225
Crystal field 310
Crystal structure 69, 214, 329
Cu–Ni–Fe granular systems 195

Digital image processing 353
Dimeric state 115
Dispersion relations 366
Domain wall dynamics 19

Electrical resistivity 335
Electrical transport 293
Electronic structure 183
Exact analytical partition function 366
Exchange bias 25
Exchange coupling 55, 391

Femtosecond spin dynamics 101
Fermi surface 225
Ferrites 83
Ferromagnet 62
Ferromagnetic film 19
Ferromagnetic system 101
Ferromagnets 234
Fine magnetic particles 377
First principles calculations 69
Forces 255

Glass ceramic 207
Green's function 234
Group theory 366

Hard magnetic materials 47
Heat capacity 274
Heisenberg model 115
Heisenberg $s = 1/2$ ring 366
Hexaferrite 120
– Zn–Co substituted W-type 96
High-field magnetization 263
Hyperfine field distribution 136

Indirect exchange interaction 136
Impurities 234
Irreversible phenomena 165
Ising model
– transverse 234

Laser ablated plasma 120
Laves phase cpmpounds 189
Linear and nonlinear magneto-optical responses 101
Low energy ion scattering 83

Magnetic after-effect 384
Magnetic anisotropy 283
Magnetic domain structure 353
Magnetic domains 346
Magnetic fluid 255
Magnetic glasses 207
Magnetic intermetallics 283
Magnetic materials 83, 89
Magnetic moment 189
Magnetic phase diagram 335
Magnetic polarization 136
Magnetic properties 96, 293, 329, 341
Magnetic relaxation 377
Magnetic structure 214, 329
Magnetic susceptibility 62
Magnetically ordered materials 274
Magnetisation measurements 69
Magnetism 69
Magnetization 183, 335
Magnetization curves 346
Magnetization measurements 47
Magneto-optics 149
Magnetocrystalline anisotropy 89, 173, 241, 251
Magnetoresistance 131, 195, 321
– anisotropic 25
– giant 25, 39
Magnetostriction
– giant 1
Mechanical alloying 202, 305, 341
Mechanical synthesis 305
Melt-spun NdFeB 55
Melt-spun ribbons 195
Mesoscopic cylinder 225
Mesoscopic ring 225
Metallic multilayers 136
Metal–insulator transition 321
Monolayer 62
Mössbauer spectroscopy 47, 83, 136, 310
Multilayers 149
– evaporated 39
– Fe/Eu 32
– permalloy/Cu 39

Nanocluster 62
Nanocomposites
– α-Fe/$Nd_2Fe_{14}B$ 55
Nanocrystal 96
Nanocrystalline permanent magnets 391
Nanoscale particles 305
Nd–Fe–B 391
Neutron diffraction 214, 329
Neutron scattering experiments 69
Ni compound 62
NMR 189

0304-8853/98/$19.00 © 1998 Elsevier Science B.V. All rights reserved.
PII: S0304-8853(98)00355-2

Numerical micromagnetic calculations 391

Optical absorption 310

Permanent magnetic property 202
Perovskite 321
Perturbed angular correlation 8
Phase formation 341
Preisach–Néel model 106
Pressure effect 335
Process model 255
Pulsed laser deposition 8, 120

Quasicrystals 165

Rare earth alloys 214
Rare earth cobalt intermetallics 329
Rare earth compounds 165, 189
Rare earth compounds
–3d transition metal compounds 241, 251
Rare-earth alloys of Fe 305
Rare-earth intermetallic compounds 89, 173
Rare-earth–transition-metal compounds 183
Redox state of iron 207
Relaxation 384
Remanence enhancement 55, 391
Reversible loss of induction 55

Scaling 207
Self-sustaining persistent currents 225
Single-crystal 173
Spin glasses 346
Spin valves 25
Spin waves 234
Spinels 83
Sputtering 1
Static and dynamic interactions 106
Stearic acid gel method 96
Stoner–Wohlfarth model 106, 377
Sublattice anisotropy 251
Superparamagnetism 305, 377
Surface magnetism 234
Susceptibilities 310
Susceptibility
– AC 165, 335

Thermal expansion 335
Thermal transport 293
Thermodynamic potentials 366
Thin films 32, 120
– Sm–Fe 1
$ThMn_{12}$ structure nitride 341
$ThMn_{12}$-type structure 283
$ThMn_{12}$-type structure compound 202, 341
Transition metal glasses 207
Transition-metal compounds 274
Translational symmetry 366
Tunneling 131
Twinning 173
Two-dimensional system 62
Type-I magnetic contrast 353

Ultrafine particles 83
Uniaxial anisotropy 241
Uranium intermetallics 283

Zinc ferrite 83